



HOMI BHABHA NATIONAL INSTITUTE

Regd. Office: 2nd Floor, Training School Complex, Anushaktinagar, Mumbai 400 094
Telephone: 022-25597611

Ref: HBNI/PUR/2021/

July 08 , 2021

To,

Dear Sir,

Sealed quotations are invited on behalf of the Vice Chancellor, HBNI for "Supply of Office Table and Chair for HBNI's Central Office" as per specifications in the attached Annexure-A and terms and conditions mentioned below:


- 1) Sealed quotations should be submitted either by post or person to the HBNI's Central Office, 2nd Floor, Training School Complex, Anushaktinagar, Mumbai 400 094 HBNI latest by **15.07.2021 at 15.00 hrs.**
- 2) Quotations should be placed in sealed envelope super scribing tender number and due date.
- 3) The quantities are tentative it can be reduced or increased as per requirement.
- 4) Bidders should also have experience in work such as modification, fabrication & repairs of such furniture.
- 5) The amount of each item should be worked out and the requisite totals given.
- 6) The validity of the quotation shall be for a minimum period of 30 days from the date of opening of the quotations.
- 7) The rate shall be inclusive of all taxes.
- 8) The work shall be executed in 30 days.
- 9) Warranty/Guarantee: The items under this quotation shall be guaranteed for satisfactory performance against manufacturing defects and faulty workmanship for a period of 12 months from the date of final acceptance. If the item becomes defective during this period, the contractor shall be responsible for making arrangement for repair/replacement at his own cost.
- 10) Payment: 100% payment together with statutory levies shall be made within 30 days of receipt and final acceptance of the material ordered & on submission of satisfactory installation and commissioning certificate issued by the purchaser. Income Tax as applicable shall be recovered from the bill.

contd..2/-

- 11) Quotations submitted by Vendors which are Blacklisted by any Government Organisation, will not be entertained.
- 12) HBNI reserves the right to accept or reject any or all tenders invited, without assigning any reason.

Thanking you

Yours faithfully,



(Dr. P.D. Naik)
Dean

ANNEXURE - B

2

SPECIFICATION

- 1) **FINNESSE TABLE** – TABLE SIZE : 1500W x 750D x 740H, ERU : 1050W x 450D x 705H, PEDESTAL SIZE : 646H x 390W x 440D TOP 25 MM THICK PLAIN PARTICLE BOARD (PPB) CLAD WITH 0.6MM THICK POST FORMED LAMINATE AND 1MM THICK BACKING LAMINATE (BDL). FLAT EDGE DULY SEALED WITH 2MM THICK PVC BEADING. SIDE PANEL 25 MM THICK PLAIN PARTICLE BOARD (PPB) CLAD WITH 0.6MM THICK POST FORMED LAMINATE AND 1MM THICK BACKING LAMINATE (BDL). FLAT EDGE DULY SEALED WITH 2MM THICK PVC BEADING. MODESTY 18MM THICK PLAIN PARTICLE BOARD (PPB) CLAD WITH 1.0MM THICK DECORATIVE LAMINATE (DL) ON BOTH SIDES. EDGE SEALED WITH 2MM THICK PVC BEADING. TOP 25 MM THICK PLAIN PARTICLE BOARD (PPB) CLAD WITH 0.6MM THICK POST FORMED LAMINATE AND 1MM THICK BACKING LAMINATE (BDL). FLAT EDGE DULY SEALED WITH 2MM THICK PVC BEADING. MODESTY 18MM THICK PLAIN PARTICLE BOARD (PPB) CLAD WITH 1.0MM THICK DECORATIVE LAMINATE (DL) ON BOTH SIDES. EDGE SEALED WITH 2MM THICK PVC BEADING.

- 2) **VERSA NEO HIGH BACK CHAIR** – Seat Assembly : The Cushioned seat is made of injection moulded Plastic outer & inner. Plastic inner is upholstered with stitched over and moulded High Resilience Polyurethane foam of density 45 +-2kg/m³, and hardness load 16+-2 kgf as per IS:7888 for 25% compression. The stitched cover is made from spacer fabric and leatherette. Seat Size : 47.0cm (W) x 48.0 cm (D). Back Assembly : The Cushioned back is made of PU Foam with insitu Moulded MS E.R.W Round Tube of Size 1.9+-0.03cm x 0.16+-0.0128cm. It upholstered with spacer fabric and leatherette. High back size : 45cm(W) x 75.5cm(D) Mid Back Size : 45cm(W) x 60.5(D) Armrest : The armrest top is moulded from polyurethane(PU) and mounted on to a drop lift adjustable type tubular armrest support made of $\varnothing 3.81 \pm 0.03 \text{cm}$ x 0.2+-0.01cm thk MS E.R.W. tube. The armrest height adjustable up to 6.5+-0.5cm in 5 steps. The Armrest structure is powder coated (DFT 40-60 micron). Active Bio-Synchro Mechanism : The adjustable titlting mechanism is designed with the following features: 360 degree revolving type, Front-pivot for tilt with feet resting on ground and continuous lumbar support ensuring more comfort. Tilt tension adjustment can be operated in seating position, 5 position Tilt limiter giving option of variable tilt angle to the chair. Seat/back tilting ratio of 1:2, The mechanism housing is made up of HPDC aluminium black powder coated. Seat Depth Adjustment : Seat depth adjustment is integrated in the seat through a sliding mechanism. Seat depth adjustment range is of 6.0+-0.5 cm. Adjustable back Support : Back frame is connected to the Up/Dn Mechnism housed in plastic T spine. It can be adjusted in the range of 7.42+-0.5cm for the comfortable back support to suit individual need. Pneumatic Ht. Adjustment : The pneumatic ht adjustment has an adjustment stroke of 10.0+-0.3 cm. Pedestal assembly : The pedestal is injection moulded in black 33% glass-filed Nylon 66 and fitted with 5 nos twin wheel castors. The pedestal is 66.1+-0.5cm. pitch-center dia.(76.1+-1.0cm. with castors) Twin wheel castors : 5 nos. Twin wheel castors are injection moulded in plastic having 6.0+-0.1cm wheel diameter and assembled to pedestal.

ch. David R J W